

ENERFOR FOAM ACTIV

ALKALINE DEGREASING FOAM

Removes animal greases and greasy residues

Clinging active foam

Efficacy guaranteed with Air Foam System

APPLICATIONS

Foaming detergent to remove, without rubbing, animal fat, oil and proteic residue from walls, floors, work surfaces and machinery; it can be used with proper frothers, nebulizers and pressure washers, in a solution for manual operations or by immersion.

FEATURES

Formula generating a high-active and low water foam, granting a high gripping power on vertical surfaces; the best result is obtained with proper frothers, fixed or moveable.

INSTRUCTIONS FOR USE

Remove with hot water and in pressure the grossest dirt, then apply the product as follows:

WITH PROPER FROTHERS:

use pure measuring water and air quantity: wait 10-15 minutes for the foam to collapse and wash away with water

WITH NEBULIZERS, PRESSURE WASHERS, BY IMMERSION, FOR MANUAL OPERATIONS

Dilute in water 1-5%, leave on 10 minutes and wash away with water

BY IMMERSION:

dilute in water 2-5%, leave in immersion for 10 minutes and wash away with water

PACKAGING:	Standard packages		N° pieces for carton	N° cartons / packages for pallet	N° pieces for pallet
	Tank	Kg 22		-	-
GIR/IBC	Kg 1000		-	-	1

CHEMICAL-PHYSICAL INFORMATIONS:	Parameters	U.M.	Values	Method of analysis
	Aspect:	-	Liquid	Visual
	Colour:	-	Yellow	Visual
	Perfume:	-	No perfume	-
	pH (Sol.1%):	-	12,5 ± 0,5	Instrumental
	Alkalinity:	%Na2O	5,9 ± 0,5	By titration
Density:	Kg/dm ³	1,13 ± 0,05	By weighing	

HAZARD: Reg. (CE) 1272/2008		H290: May be corrosive to metals H314: Causes severe skin burns and eye damage
	DANGER	

We recommend for use, packaging etc. to follow instruction on label and/or on safety data sheet. This technical data sheet nullifies and replaces any precedent edition.

Bettari Detergenti s.r.l.

Via Galileo Galilei n.2 - 25020 - Poncarale (BS)
 Tel. 030-2540330 - Fax 030-2540332
 info@bettari.it - www.bettari.it
 Cap. Soc. € 210.000 int. vers. RIEA BS n° 284088
 Reg. Imp. BS n° 028-28245 - C.F./P.IVA 01428790172